Cannalysis Headquarters 1801 Carnegie Ave Santa Ana , CA 92705 C8-18-0000031-TEMP

Cannalysis CERTIFICATE OF ANALYSIS

SUPER LEMON HAZE

SAMPLE INFORMATION

Sample Name:SUPER LEMON HAZESample Id:95106Received:03/29/2019 16:09

INDIVIDUAL INFO

Business Name: VT Inc. City: Zip Code: Sample Matrix: Collected: Overall Result: Concentrate 03/29/2019 14:12 Pass

Street Address: State: License:

RESIDUAL SOLVENT ANALYSIS

TEST TYPE RESULT: Pass UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL		ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	
Chloroform	ND	1.000	2.500	1.000	Pass	Acetone	225.9 ug/g	2.500	5.000	5000	Pass
Methanol	14.37 ug/g	1.000	2.500	3000	Pass	Ethanol	ND	1.000	2.500	5000	Pass
Benzene	ND	1.000	2.500	1.000	Pass	Toluene	14.13 ug/g	0.2500	0.5000	890.0	Pass
Pentane	ND	1.000	2.500	5000	Pass	Hexane	ND	0.2500	0.5000	290.0	Pass
Heptane	2.628 ug/g	0.2500	0.5000	5000	Pass	Ethyl Acetate	ND	2.500	5.000	5000	Pass
Propane	10.17 ug/g	5.000	10.00	5000	Pass	Acetonitrile	ND	0.5000	1.000	410.0	Pass
Ethyl Ether	ND	10.00	50.00	5000	Pass	1,2-Dichloroethane	ND	0.2500	0.5000	1.000	Pass
Butane	<lloq< td=""><td>24.00</td><td>48.00</td><td>5000</td><td>Pass</td><td>Methylene chloride</td><td>ND</td><td>0.2500</td><td>0.5000</td><td>1.000</td><td>Pass</td></lloq<>	24.00	48.00	5000	Pass	Methylene chloride	ND	0.2500	0.5000	1.000	Pass
Ethylene oxide	ND	0.5000	1.000	1.000	Pass	Isopropyl Alcohol	9.454 ug/g	0.2500	0.5000	5000	Pass
Trichloroethylene	ND	0.2500	0.5000	1.000	Pass	Xylenes	ND	0.5000	1.000	2170	Pass

ADDITIONAL INFORMATION

Method: S Instrument: H

SOP-TECH-003 HS-GC-MS-FID

Sample Prepped Sample Analyzed 04/01/2019 13:04 04/01/2019 13:48 Sample Approved 0

04/02/2019 11:38



www.cannalysislabs.com (949) 329-TEST Page 1 of 2 Sample ID: 95106 CofA Document#: COA-00032064 | Exp: 04/02/2020 ISO/IEC 17025:2005 Accredited (#93948)

FOR R&D USE

Cannalysis Headquarters 1801 Carnegie Ave Santa Ana , CA 92705 C8-18-0000031-TEMP

Cannalysis CERTIFICATE OF ANALYSIS

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

DATA REVIEWED AND APPROVED BY

eth 0

Swetha Kaul, PhD Chief Scientific Officer

04/02/2019 Date



www.cannalysislabs.com (949) 329-TEST Page 2 of 2 Sample ID: 95106 CofA Document#: COA-00032064 | Exp: 04/02/2020 ISO/IEC 17025:2005 Accredited (#93948)

FOR R&D USE